

Lexmark X792 Family colour laser MFPs



Business productivity with robust colour performance

Models



Lexmark X792 Family

The Lexmark X792 Family colour MFPs elevate your workgroup productivity through brilliant colour printing, productivity solutions, flexible features and an intuitive colour touch screen.

Available models:

Lexmark X792de: Includes duplex and hard disk

Lexmark X792dte: Includes duplex, hard disk, three 550-sheet trays and caster base



Colour



Touch screen



Copy



Scan



Fax



Solutions



Up to 47 ppm



Duplex



Network

LEXMARK
TM

Lexmark X792 Family: key features



Lexmark X792de colour laser MFP shown with optional input drawers, hard disk, stapler with hole punch finisher and caster base.

Features that help you optimise your work



1) Intuitive colour touch screen

The extra large 10.2-inch colour touch screen allows you to operate your printer with ease and confidence through smart and intuitive navigation, easy access to workflow solutions and shortcuts, and the ability to preview your documents and print jobs at the device.



2) Flexible output options

Choose from four output options, including a five-bin mailbox, an offset stacker, a staple finisher, and a staple with hole punch finisher.



3) Duplex automatic document feeder (DADF)

Save time by scanning both sides of your document in one pass with robust colour-scanning capabilities and an input capacity of up to 75 pages.



4) Direct USB

The front USB port allows for convenient walk-up preview, printing and scanning, and is compatible with most printable image file formats.



5) Lexmark solutions

Reduce unnecessary printing and simplify work processes through solutions applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.



6) Long-lasting toner

The Lexmark Extra High Yield Print Cartridge delivers up to 20,000* pages, reducing interventions, cartridge waste and cost.



7) Eco-friendly features

Easy-to-access features make it easy to print responsibly, including Eco-Mode to reduce paper and toner consumption, and the Sleep button and Hibernate Mode to help you save energy.

* Average continuous black or composite CMY declared cartridge yield in accordance with ISO/IEC 19798

Lexmark X792 Family: overview



Robust Colour Printing

Designed for busy colour printing environments, the Lexmark X792 Family delivers vibrant, professional quality output that is consistent from the first page to the last.

- Lexmark Extra High Yield Print Cartridge available, offering yields of up to 20,000* pages
- Print and copy in duplex at speeds as fast as 50 ppm in both black and colour
- PANTONE® calibration for consistent colour tones
- Named Color Replacement for easy colour matching
- Lexmark Color Care Technology to manage colour usage and control costs
- Instant warm-up fuser to help reduce energy consumption and improve time to first page



Business Productivity

The Lexmark X792 Family combines exceptional multifunction performance with time-saving applications designed to make you more productive. These MFPs can deliver the performance of much larger copiers, but with a smaller footprint and a more affordable price.

- Duplex scanning to scan both sides of your documents in one pass
- Advanced copy functions let you interrupt long print runs to make a quick copy, and proof the first copy set before completing your copy job
- Scan to multiple destinations, including scan to email, scan to FTP, scan to fax, scan to network, and more
- Preloaded applications to drive greater efficiency, and Lexmark Embedded Solutions Framework to further extend the capabilities of the device



Flexibility

Select from a number of expandability options and finishing features you would expect from more expensive products.

- Ultra-reliable paper feeding to support diverse media, including card stock, labels, UV-resistant outdoor media, banner media and more
- Robust output options, including a five-bin user-assignable mailbox, an offset stacker, a staple finisher, and a staple with hole punch finisher
- Input capacity expandable up to 2,650 sheets with a high-capacity feeder or extra drawers
- Connectivity and application solution cards allow integration into most IT environments



Easy and Intuitive

The Lexmark X792 Family is designed for easy operation and maintenance.

- Extra large, easy to navigate 10.2-inch colour touch screen provides audible and tactile feedback to make completing tasks intuitive
- Print and scan preview features help you select documents or specific pages within a document
- Directional lights on the device provide visual cues to guide you through tasks and maintenance operations
- Eco-friendly settings such as the Sleep button and Hibernate Mode
- Available device fleet management software

Lexmark X792 Family: solutions & product specifications

Save time and money through solutions

Reduce unnecessary printing and simplify work processes through Lexmark solutions. The X792 Family features the Lexmark Embedded Solutions Framework (eSF), our platform that enables you to add a wide range of software applications directly onto the device. Solutions are designed with your productivity in mind, helping you streamline—or even eliminate—paper intensive business processes.

The following are solutions that come preloaded on the X792 Family:



Forms and Favorites

Eliminate waste and inefficiencies associated with preprinted forms. Store frequently printed forms, marketing materials or other documents online, then print them on demand.



Scan to Network

Scan a hardcopy document and route the image to one of 30 predefined personal or public shared network folders.



Change Language**

Easily switch the language displayed on the touch screen – 18 languages supported.

The following are a few of the Lexmark solutions available through authorised partners or Lexmark Professional Services



Showroom

Display a customisable, scrolling slideshow on the colour touch screen to promote your business or products, or to communicate important messages to your customers or employees.



Card Copy

Save time and effort in copying identification cards, licenses and insurance cards by automatically scanning, enlarging and printing both sides of a two-sided card onto one side of a sheet of paper.



Background and Idle Screen

Change the touch screen background to your corporate logo, a unique message or select one of four available screens.

** Option to Change Language during installation

Product Specifications

Lexmark X792de

Lexmark X792dte

Product Specifications		
Printing		
Print Technology	Colour Laser	
Print Speed (A4 mono): Up to	47 ppm	
Print Speed (A4 colour): Up to	47 ppm	
Time to First Page (Black)	As fast as 8 seconds	
Time to First Page (Colour)	as fast as 8.5 seconds	
Print Resolution, Black	1200 x 1200 dpi, 4800 Colour Quality (2400 x 600 dpi)	
Print Resolution, Colour	1200 x 1200 dpi, 4800 Colour Quality (2400 x 600 dpi)	
Memory, standard	1024 MB	
Memory, maximum	2048 MB	
Hard Disk	as standard	
Print Noise Level, Operating	52 dBA	
Noise Level, Idle	27 dBA	
Maximum Monthly Duty Cycle: Up to	150000 pages per month	
Recommended Monthly Page Volume	2500 - 17000 Pages	
Supplies		
Supplies Yield	6,000*-page (CMYK) Print Cartridges, Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798., 20,000*-page (CMYK) Extra High Yield Print Cartridges	
Copying		
Copy Speed (A4, Black): Up to	47 cpm	
ADF Scan	DADF (single pass Duplex)	
Scanning Resolution	600 x 600 dpi	
Reduce / Enlarge Range	25 - 400 %	
Faxing		
Modem Speed	33.6 Kbps	
Paper Handling		
Paper Handling Standard	500-Sheet Output Bin, Integrated Duplex, 100-Sheet Multipurpose Feeder, 550-Sheet Input Tray	500-Sheet Output Bin, Integrated Duplex, 100-Sheet Multipurpose Feeder, 550-Sheet Input Tray, 2 x 550-Sheet Drawers
Paper Handling Optional	5-bin Mailbox, 550-Sheet Drawer, Optional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Offset Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher	5-bin Mailbox, 550-Sheet Drawer, Banner Media Tray, 500-Sheet Offset Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher
Paper Input Capacity, Standard: Up to	650 pages 75 gsm bond	1750 pages 75 gsm bond
Paper Input Capacity, Maximum: Up to	2650 pages 75 gsm bond	2300 pages 75 gsm bond
ADF Paper Input Capacity : Up to	75 pages 75 gsm bond	
Media Types Supported	Card Stock, Dual Web Labels, Envelopes, Glossy paper, Integrated Labels, Paper Labels, Plain Paper, Polyester Labels, Transparencies, Vinyl Labels, Refer to the Card Stock & Label Guide, Outdoor Media, Banner Paper	Card Stock, Dual Web Labels, Envelopes, Glossy paper, Integrated Labels, Paper Labels, Plain Paper, Polyester Labels, Transparencies, Vinyl Labels, Refer to the Card Stock & Label Guide, Outdoor Media, Banner Paper
General		
Function	Colour Copying, Colour Faxing, Colour Printing, Colour Scanning, Colour Network Scanning	
Product Guarantee	1-Year Onsite Service, Next Business Day	
Size (mm - H x W x D)	825.5 x 559 x 508 mm	1204 x 611 x 657 mm
Weight (kg)	73.2 kg	112 kg
Specified Operating Environment	Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0 - 3048 Meters (10,000 Feet)	

Recommended Monthly Page Volume

Recommended Monthly Page Volume is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

Maximum Monthly Duty Cycle

Maximum Monthly Duty Cycle is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

Trademarks

Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark. Information in this document is subject to change without notice. PANTONE® is a registered trademark of Pantone, Inc. This product features Adobe® Flash® technology. For further information, visit <http://www.adobe.com/software/flash/about/>

Print Less. Save More.

www.lexmark.com

LEXMARK
TM