

Lexmark C746 Family Color laser printers



High-quality color support for midsize workgroups

The Lexmark C746 color laser printers deliver the easy-to-use features and reliable performance essential to midsize workgroups. Energy-saving features make responsible printing easy.

Features to optimize your work



Easy brand matching

Consistently match branded colors and print marketing collateral in-house with Lexmark Named Color Replacement.



Flexible input capacity

With the optional 550-sheet drawers, a specialty media drawer and 2,000-sheet high-capacity feeder, customize input options to meet your printing needs.



Use less energy

The instant warm-up fuser reduces energy consumption and delivers a time to first page as fast as 9 seconds in both black and color.



Walk-up USB printing

The front USB port allows for convenient walk-up printing of PDFs and many printable image file formats.



Multiple media support

Ultra-reliable paper feeding supports diverse media, including card stock, vinyl labels, banners and more.



Fast data transfer

Gigabit Ethernet networking lets the device accept print jobs across a network quickly.



Eco-friendly printing

Print responsibly with Eco-Settings that let you customize print settings and Hibernate Mode which reduces energy consumption to less than one watt.



Advanced security

Protect your device, data and network with innovative security controls, like authentication and authorization.

LEXMARKTM

Lexmark C746 Family Overview



Robust high-quality color

Rely on Lexmark C746 color laser printers for the high-quality color printing essential to business. Speed and reliability mean minimal waiting and few interruptions. You consistently and quickly receive vibrant documents.

- Match corporate colors on marketing collateral and brand-sensitive text and graphics with Lexmark Named Color Replacement and PANTONE® calibration.
- The high-speed processor and Gigabit Ethernet networking mean fast data transfer and fast processing, even on complex color documents.
- Print quickly at speeds up to 35 ppm and a time to first page as fast as 9 seconds in both black and color.
- Lexmark cartridges let you print up to 12,000 pages per cartridge in black and 7,000 pages per cartridge in color.¹



Productivity made easy

The combination of easy-to-use features and reliable performance means business processes are intuitive and you are productive. Increase efficiency with workflow-enhancing shortcuts designed to reduce unnecessary printing and simplify processes.

- The 2.4-inch LCD is easy to read and the color graphics make navigation and troubleshooting intuitive.
- Expand input capacity with optional paper drawers that let you load multiple paper types and boost total input capacity up to 4,300 sheets.
- Create customized messages to provide helpful information, such as helpdesk telephone numbers.
- Easily manage supplies through programmable alerts that automatically send reorder notifications.



Sustainable by design

Environmentally friendly printing and energy-saving features make it easy to print responsibly. Use fewer raw materials with features that reduce the number of pages printed and free cartridge return and recycling programs.

- Use less electricity with Hibernate Mode, which reduces energy consumption to less than one watt and meets multiple energy management standards.
- Choose from multiple print settings that help reduce energy, paper and toner consumption using custom Eco-Settings.
- Cartridges are eligible for the Lexmark Cartridge Collection Program (LCCP), which offers a variety of free, easy return options designed for your business size and printing volume. For more information visit www.lexmark.com/recycle.²
- Reduce paper consumption by up to 50% and reduce your impact on the environment with two-sided printing.

Lexmark C746 Family Ordering information

Compatible on the complete Lexmark C746 Family

| Part # | Laser Toner/Print Cartridge |
|----------|--|
| C746H1KG | C746, C748 Black High Yield Return Program Toner Cartridge |
| C746A1CG | C746, C748 Cyan Return Program Toner Cartridge |
| C746A1MG | C746, C748 Magenta Return Program Toner Cartridge |
| C746A1YG | C746, C748 Yellow Return Program Toner Cartridge |
| C746H2KG | C746, C748 Black High Yield Toner Cartridge |
| C746A2CG | C746, C748 Cyan Toner Cartridge |
| C746A2MG | C746, C748 Magenta Toner Cartridge |
| C746A2YG | C746, C748 Yellow Toner Cartridge |
| C734X77G | Waste Toner Box |
| C734X20G | Photoconductor Unit |
| C734X24G | Photoconductor Unit, 4-Pack |
| Part # | Furniture |
| 3052765 | Swivel Cabinet |
| 34T5114 | C74x, X74x Caster Base |
| Part # | Memory Options |
| 1025041 | 256MB DDR2-DRAM |
| 1025042 | 512MB DDR2-DRAM |
| 1025043 | 1024MB DDR2-DRAM |
| 14F0245 | 256MB Flash Card |

| 27X0014 | 160+ GB Hard Disk |
|---------|---|
| 30G0287 | Arabic Font Card |
| 30G0828 | Japanese Font Card |
| 30G0825 | Korean Font Card |
| 30G0826 | Simplified Chinese Font Card |
| 30G0827 | Traditional Chinese Font Card |
| Part # | Application Solutions |
| 57X9000 | Lexmark PrintCrypton Card |
| 41G0195 | C746 Card for IPDS |
| 41G0196 | C746 Card for PRESCRIBE Emulation |
| 41G0194 | C746 Forms and Bar Code Card |
| Part # | Connectivity |
| 27X0025 | MarkNet N8250 802.11b/g/n Wireless Print Server |
| 14F0037 | MarkNet N8120 Gigabit Ethernet Print Server |
| 1021294 | USB Cable (2-meter) |
| 14F0000 | Parallel 1284-B Interface Card |
| 1021231 | Parallel Cable (10-foot) |
| 14F0100 | RS-232C Serial Interface Card |
| Part # | User Replaceable Parts |
| 40X8110 | C74x, X74x Fuser Maintenance 110-120V |
| 40X8307 | C74x, X74x Transfer Belt Maintenance Kit |

| | |
|---------|-----------------------------------|
| 40X5168 | Pick Tire |
| 40X5152 | Pick Tire, Specialty Media Drawer |

Lexmark C746n

| Part # | Model |
|---------|--|
| 41G0000 | Lexmark C746n |
| Part # | Paper Handling |
| 27S2100 | 550-Sheet Drawer |
| 27S2400 | 2,000-Sheet High Capacity Feeder |
| 27S2650 | 550-Sheet Specialty Media Drawer |
| 27S2190 | 4.8 inch (12.2 cm) Spacer |
| Part # | Extended Warranties |
| 2354996 | C746 2-Years Total (1+1) Onsite Service, Next Business Day |
| 2354997 | C746 3-Years Total (1+2) Onsite Service, Next Business Day |
| 2354998 | C746 4-Years Total (1+3) Onsite Service, Next Business Day |

| | |
|---------|--|
| 2354999 | C746 5-Years Total (1+4) Onsite Service, Next Business Day |
| 2355000 | C746 1-Year Onsite Service Renewal, Next Business Day |

| Part # | Installation Service |
|---------|----------------------------------|
| 2355003 | C746 Install, De-Install Service |

In the box

Lexmark C746n color laser printer, Up to 6,000*-page color (CMY) starter toner cartridges, Up to 6,000*-page black starter toner cartridge, Photoconductor unit, Software and Documentation CD, Power cord(s), Setup guides (network and local attachment), Statement of limited warranty / guarantee, Lexmark Cartridge Collection Program information
 *Average continuous black or continuous composite CMY declared cartridge yield in one-sided (simplex) mode up to this number of standard pages in accordance with ISO/IEC 19798.

Lexmark C746dn

| Part # | Model |
|---------|--|
| 41G0050 | Lexmark C746dn |
| Part # | Paper Handling |
| 27S2100 | 550-Sheet Drawer |
| 27S2400 | 2,000-Sheet High Capacity Feeder |
| 27S2650 | 550-Sheet Specialty Media Drawer |
| 27S2190 | 4.8 inch (12.2 cm) Spacer |
| Part # | Extended Warranties |
| 2354996 | C746 2-Years Total (1+1) Onsite Service, Next Business Day |
| 2354997 | C746 3-Years Total (1+2) Onsite Service, Next Business Day |
| 2354998 | C746 4-Years Total (1+3) Onsite Service, Next Business Day |

| | |
|---------|--|
| 2354999 | C746 5-Years Total (1+4) Onsite Service, Next Business Day |
| 2355000 | C746 1-Year Onsite Service Renewal, Next Business Day |

| Part # | Installation Service |
|---------|----------------------------------|
| 2355003 | C746 Install, De-Install Service |

In the box

Lexmark C746dn color laser printer, Up to 6,000*-page color (CMY) starter toner cartridges, Up to 6,000*-page black starter toner cartridge, Photoconductor unit, Software and Documentation CD, Power cord(s), Setup guides (network and local attachment), Statement of limited warranty / guarantee, Lexmark Cartridge Collection Program information
 *Average continuous black or continuous composite CMY declared cartridge yield in one-sided (simplex) mode up to this number of standard pages in accordance with ISO/IEC 19798.

Lexmark C746dtn

| Part # | Model |
|---------|--|
| 41G0100 | Lexmark C746dtn |
| Part # | Paper Handling |
| 27S2100 | 550-Sheet Drawer |
| 27S2400 | 2,000-Sheet High Capacity Feeder |
| 27S2650 | 550-Sheet Specialty Media Drawer |
| 27S2190 | 4.8 inch (12.2 cm) Spacer |
| Part # | Extended Warranties |
| 2354996 | C746 2-Years Total (1+1) Onsite Service, Next Business Day |
| 2354997 | C746 3-Years Total (1+2) Onsite Service, Next Business Day |
| 2354998 | C746 4-Years Total (1+3) Onsite Service, Next Business Day |


| | |
|---------|--|
| 2354999 | C746 5-Years Total (1+4) Onsite Service, Next Business Day |
| 2355000 | C746 1-Year Onsite Service Renewal, Next Business Day |

| Part # | Installation Service |
|---------|----------------------------------|
| 2355003 | C746 Install, De-Install Service |

In the box

Lexmark C746dtn color laser printer, Includes 550-Sheet Drawer, Up to 6,000*-page color (CMY) starter toner cartridges, Up to 6,000*-page black starter toner cartridge, Photoconductor unit, Software and Documentation CD, Power cord(s), Setup guides (network and local attachment), Statement of limited warranty / guarantee, Lexmark Cartridge Collection Program information
 *Average continuous black or continuous composite CMY declared cartridge yield in one-sided (simplex) mode up to this number of standard pages in accordance with ISO/IEC 19798.

Lexmark C746 Family Product specifications



Standard
 Optional

Product specifications

Lexmark C746n

Lexmark C746dn

Lexmark C746dtn

| Product specifications | Lexmark C746n | Lexmark C746dn | Lexmark C746dtn |
|--|---|--|---|
| Printing | | | |
| Display | 2.4 inch color LCD display | | |
| Print Speed: Up to | Black: 35 ppm / Color: 35 ppm | | |
| Time to First Page: As fast as | Black: 9 seconds / Color: 9 seconds | | |
| Print Resolution, Color | 1200 x 1200 dpi, 4800 Color Quality (2400 x 600 dpi) | | |
| Processor | 800 MHz | | |
| Memory | Standard: 512 MB / Maximum: 1536 MB | | |
| Hard Disk | Option available | | |
| Recommended Monthly Page Volume ⁴ | 1500 - 9200 pages | | |
| Maximum Monthly Duty Cycle: Up to ⁵ | 85000 pages per month | | |
| Supplies | | | |
| Supplies Yield | 12,000 ¹ -page Black High Yield Toner Cartridge, 7,000 ¹ -page color (CMY) Toner Cartridges | | |
| Cartridge(s) Shipping with Product | 6,000 ¹ -page Black starter Return Program Toner Cartridge, 6,000 ¹ -page color (CMY) Starter Return Program Toner Cartridges | | |
| Paper Handling | | | |
| Paper Handling Standard | 300-Sheet Output Bin, 100-Sheet Multipurpose Feeder, 550-Sheet Input Tray | 300-Sheet Output Bin, Integrated Duplex, 100-Sheet Multipurpose Feeder, 550-Sheet Input Tray | 300-Sheet Output Bin, Integrated Duplex, 100-Sheet Multipurpose Feeder, 550-Sheet Drawer, 550-Sheet Input |
| Paper Handling Optional | 550-Sheet Drawer, 2,000-Sheet High-Capacity Feeder, 550-Sheet Specialty Media Drawer | | |
| Paper Input Capacity: Up to | Standard: 650 pages 20 lb or 75 gsm bond / Maximum: 4300 pages 20 lb or 75 gsm bond | Standard: 650 pages 20 lb or 75 gsm bond / Maximum: 4300 pages 20 lb or 75 gsm bond | Standard: 1200 pages 20 lb or 75 gsm bond / Maximum: 4300 pages 20 lb or 75 gsm bond |
| Paper Output Capacity: Up to | Standard: 300 pages 20 lb or 75 gsm bond / Maximum: 300 pages 20 lb or 75 gsm bond | | |
| Media Types Supported | Card Stock, Envelopes, Paper Labels, Plain Paper, Transparencies, Vinyl Labels, Refer to the Card Stock & Label Guide | | |
| Media Sizes Supported | 10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C5 Envelope, DL Envelope, B5, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal, Oficio, A6 | | |
| General | | | |
| Standard Ports | USB 2.0 Specification Hi-Speed Certified (Type B), Front USB 2.0 Specification Hi-Speed Certified Port (Type A), Ethernet 10/100/1000 BaseTX (RJ-45) | | |
| Optional Network Ports | Internal MarkNet™ N8120 Gigabit Ethernet, Internal MarkNet™ N8250 802.11b/g/n Wireless | | |
| Optional Local Ports | Internal RS-232C serial, Internal 1284-B Bidirectional Parallel | | |
| Print Noise Level, Operating | 54 dBA | | |
| Product Warranty | 1-Year Onsite Service, Next Business Day | | |
| Energy Star | No | Yes | Yes |
| Size (in. - H x W x D) / Weight (lb.) | 17.9 x 17.1 x 15.7 in. / 55.6 lb. | 17.9 x 17.1 x 15.7 in. / 55.6 lb. | 22.9 x 17.1 x 21.5 in. / 65.5 lb. |

¹ Average continuous black or composite CMY declared cartridge yield in accordance with ISO/IEC 19798. ² Not available in all countries. ³ Not available on the Lexmark C746n. ⁴ "Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. ⁵ "Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.



LEXMARKTM